

Catalogue 2018 Mobile Security

Motorbike and Scooter Locks



ULTIMATE SECURITY PACKAGES

59/12HKS170 + 8077














59/12HKS170 + 8077













U-Shackle Locks

Page 12 - 17

Lock-Chain Combinations

Page 18 - 31

Steel-O-Flex Locks

Page 32 - 37

Alarm Brake Disc Locks

Page 38 - 45

Brake Disc Locks

Page 46 - 57

Special Security Items

Pagina 58 - 73

Padlocks and Chains

Pagina 74 - 79

Brackets

Pagina 80 - 83

Sales Displays

Pagina 84 - 91



Key Service

The ABUS key service allows you to order new keys for existing locks. Just select the required blank, enter the desired coding and the key will be delivered within no time. If no key number is available, please send us the remaining pattern key. We'll produce a replica of the key.

Please note the following surcharges: For keyed alike locks:

Surcharge 10 %

For keyed alike locks as per sample key: Surcharge 25 %



I Plus" look for	Additional ABUS XPIus Ref. No.: 24657	EAN-No.: 04003318246579
Plus" Gade Land	Additional ABUS Plus Ref. No.: 06227	EAN-No.: 04003318062278
	Additional NW72 red IVY 9000/9100 num. Ref. No.: 54753	EAN-No.: 04003318547539
-	Additional NW52 grey Bordo 6000 num. Ref. No.: 54593	EAN-No.: 04003318545938
	Additional T82/E6 Frame locks/Battery lock Ref. No.: 56113	EAN-No.: 04003318561139
	Additional Cylinder locks num. Ref. No.: 02675	EAN-No.: 04003318026751
	Additional 75+25/70 Ref. No.: 26766	EAN-No.: 04003318267666
Gutchein über eines Schlüsselnachbestellung w. 1858/8892	ABUS - Voucher for Plus or XPlus Ref. No.: 04318	EAN-No.: 04003318043185
Guttchein über eine Schlüsselnachbestellung	ABUS - Voucher for ABUS other Ref. No.: 29001	EAN-No.: 04003318290015

Keyed alike index

																					~					KS	90			1025				_					
														9200		uc		Lock-Chain-Combinations	29	in 37	Granit Detecto XPIus 8008	Granit Detecto XPlus 8077	37		89	Granit Power XS 67 12/10KS	Granit CityChain XPlus 1060			Granit Steel-0-Flex XPlus 1025	Granit Steel-0-Flex 1000		Granit Detecto XPlus 8077	Granit Detecto XPIus 8008		89	Mini		
		65 8	89	9+	.+	0	94	-			0			Bordo Granit XPIus 6500		Bordo 6000 Ecolution		mbina	Granit Extreme Plus 59	Granit Extreme Chain 37	XPlus	XPlus	Granit Power Chain 37		Granit Victory XPlus 68	(S 67	in XPI	0	cks	Flex)	-Flex	<s< td=""><td>XPlus</td><td>XPlus</td><td>2</td><td>Granit Victory XPlus 68</td><td>Granit Quick Maxi + Mini</td><td>2</td><td>12 67</td></s<>	XPlus	XPlus	2	Granit Victory XPlus 68	Granit Quick Maxi + Mini	2	12 67
	locks	treme	wer	ns 54	ns 5/	19 9	tura (ato 6	s 501	15 51	15 47	15 47	locks	ınit X	00	00 Ec	20	n-Co	treme	treme	tecto	tecto	wer (tory)	werx	yChai	1010	ex lo	-O-la	-O-la	k lock	tecto	tecto	dg 7	tory)	ick M	ick 3	werx
	U-Shakle locks	Granit Extreme 59	Granit Power 58	Granit XPlus 540	Granit XPlus 54	Granit Plus 640	Granit Futura 64	Granit Strato 61	uGrip Plus 501	Granit Plus 51	Granit Plus 470	Granit Plus 47	Foldable locks	lo Gra	Bordo 6000	09 01	Bordo 6050	-Chai	it Ex	it Ex	it De	iit De	it Po	Granit 58	it Vic	iit Po	it Cit	CityChain 1010	Steel-0-Flex locks	iit Ste	iit Ste	Brake disk locks	it De	it De	Granit Sledg 77	iit Vic	iit Qu	Granit Quick 37	Granit Power XS
	U-Sh	Grar	Grar	Grar	Grar	Grar	Grar	Grar	uGri	Grar	Grar	Grar	Fold	Borc	Borc	Borc	Borc	Lock	Grar	Grar	Grar	Grar	Grar	Grar	Grar	Grar	Grar	City(Stee	Grar	Grar	Brak	Grar	Grar	Grar	Grar	Grar	Grar	Grar
U-Shakle locks																																							
Granit Extreme 59		X	X																X		X			X										X					
Granit Power 58		X	X																X		X			X										X					
Granit XPlus 540				X	X									X												X	X			X									X
Granit XPIus 54				X	X									X												X	X			X									X
Granit Plus 640						X	X	X	X	X	X	X																											
Granit Futura 64						X	X	X	X	X	X	X																											
Granit Strato 61						X	X	X	X	X	X	X																											
uGrip Plus 501						X	X	X	X	X	X	X																											
Granit Plus 51						X	X	X	X	X	X	X																											
Granit Plus 470						X	X	X	X	X	X	X																											
Granit Plus 47						X	X	X	X	Х	Х	Х																											
Foldable locks																																							
Bordo Granit XPIus 6500				X	X									X												X	X			X									X
Bordo 6000															X	X	X																						
Bordo 6000 Ecolution															X	X	X																						
Bordo 6050															Х	Х	Х																						
Lock-Chain-Combinations																																							
Granit Extreme Plus 59		X	X																X		X			X										X					
Granit Extreme Chain 37																				X			X					X			X						X	X	
Granit Detecto XPlus 8008		X	X																X		X			X										X					
Granit Detecto XPlus 8077																						X			X								X		X	X			
Granit Power Chain 37																				X			X					X			X						X	X	
Granit 58		X	X																X		X			X										X					
Granit Victory XPlus 68																						X			X								X		X	X			
Granit Power XS 67 12/10KS				X	X									X												X	X			X									X
Granit CityChain XPlus 1060				X	X									X												X	X			X									X
CityChain 1010																				Х			X					X			X						X	X	
Steel-O-Flex locks																																							
Granit Steel-O-Flex XPlus 1025				X	X									X												X	X			X									X
Granit Steel-0-Flex 1000																				Х			Х					Х			Х						X	X	
Brake disk locks																																							
Granit Detecto XPlus 8077																						X			X								X		X	X			
Granit Detecto XPlus 8008		X	X																X		X			X										X					
Granit Sledg 77																						X			X								X			X			
Granit Victory XPIus 68																						X			X								X		X	X			
Granit Quick Maxi + Mini																			_	X			X					X			X						X	_	
Granit Quick 37																				X			X					X			X						X		
Granit Power XS 67				X	X									X												X	X			X									X

Subject to mistakes and technical changes

Test Seals

ABUS locks are tested and acknowledged by independent, neutral test institutes in several European countries. The following test seals confirm the extraordinary security of the ABUS 2-Wheel locks:

Test Seal of the Svensk Brand- och Säkerhetscertifiering AB – Stockholm, Sweden





Test Seal of the Norges Forsikringsforbund – Oslo, Norway

Test Seal of the Vahinkovakuutusyhtiöiden Hyväksymä – Helsinki, Finland

Test Seal of Stichting ART – The Netherlands

Test Seal of the THATCHAM VEHICLE SECURITY - Great Britain

Test Seal of OSIMZ, Moscow, Russia

Test Seal of VdS - Cologne, Germany

ABUS Seal for Ice Spray Test - Volmarstein, Germany

Test Seals of various national and international magazines



























These acknowledgements are based on ABUS internal product tests in the company test laboratory. Here, ABUS test the locks on their security and durability in large scale tests permanently. The resulting standards from the basis of the ABUS Level System is the customer-friendly classification system.







The ABUS level system

The ABUS level system

Clear, consistent, simple.

The packaging of a security product influences the buying decision of your customers!

As part of our packaging concept, which is characterised by a clear, steady and modern presentation of our product range, you and your customers also benefit from a level system, which provides information on the security ranking of our products.

The ABUS level system is transparent and simplified system that represents exclusively the level of security of the locks. The level system – pictured as a speedometer – reaches level 15 for bicycle locks and level 20 for motorbike locks.

With the level system, a better understanding for the customer is achieved and conveys, already at the first glance, one of the key considerations when buying a security product: the level of security.

The result: a modern appearance at the point of sale, which promotes your sale actively!





Maximum Security Level: 10-20



Extra Security Level: 5-9



Standard Security Level: 1-4

GRANIT™ Tough Security.




Best security has a name: Granit. The Granit locks are known to be made with the best materials, the best technology and many patents.

- ABUS XPlus cylinder: The ultimate resistance against intelligent opening methods e.g. picking
- Power Cell Technology makes pulling and breaking forces spread through the whole lock, using the resistance of the complete lock
- 3 Square shackles force the thief to cut the shackle twice as it can not be twisted open
- The parabolic shaped shackle generates at least two contact points with every object being used to pull on the shackle this reduces the breaking force coming on one point
- A special steel alloy and a particular hardening process make the shackle hard, resisting sawing attacks, but still flexible enough to withstand torsion attacks
- 6 Power Link Technology means direct locking of the chain end link into the highly resistant locking mechanism
- **7** High quality chain produced according to special ABUS specifications



Motorbike Guide: A special service.



The ABUS "Motorbike Guide" on **www.abus-motorrad.de** gives you the interactive possibility to look for the lock that fits to your bike. This service provides you with recommendations regarding compatibility of different brake disc locks and gives information about transportation options (seat, bracket etc.) on the particular bike.

The ABUS database includes a large number of different motorbikes. All information is without obligation and subject to technical modifications to the motorbikes and/or the locks. The information is a recommendation only!

http://www.abus.com/eng/Service/Configurators-product-finders/Motorbike-Locks

ABUS Break Disc Lock Finder

Find the right break disc lock – quick and easy

ABUS holds a gadget for all motorbike- and scooter owners, which helps to find the perfect break disc lock. This finder includes templates with the measurements of the bolts of all ABUS break disc lock and reveals quick and easy, whether a break disc lock fits a two-wheeler or not.









TIP:

Your customers can easily find out at home which ABUS break disc lock fits their two-wheelers: Just go to www.abus.com to the favored lock, click on "Downloads", download the template, print, cut out and see if the lock fits the disc!



U-Shackle Locks











NEW!



GRANIT™ Extreme 59





















GIVI adapter plate M6M

Operation and use

- Very good protection at high theft risk
 Recommended for securing valuable motorbikes

- Technology and features

 16 mm patented square parabolic shackle (19 mm coating)

 Double bolted shackle in the lock body
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys

Holder and transportation

- SH 59 easy to mount bracket on tubes with round diameters (12-17 mm)
- The monolock adapter plate of GIVI serves as fully integrated mounting option that enables the straightforward fastening of almost all ABUS motorbike U-Locks starting from a shackle height of 300 mm

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Locks of the U-shackle category belong to the most resistent locks in general
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			B	Weight g	Carrier	Box Qty	
		mm	mm	mm				
59/180HB310	58608 8	309	111	19	3060		1	
59/180HB260	58607 1	259	111	19	2900		1	
59/180HB245	58606 4	244	111	19	2800		1	
SH 59	23763 8						2	

GRANIT™ Power 58



























GIVI adapter plate M6M

Operation and use

- Very good protection at high theft risk
- Recommended for securing valuable motorbikes

- Technology and features
 16 mm rounded shackle (18 mm coating)
 Double bolted shackle in the lock body
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
 Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys

Holder and transportation

- SH 58 easy to mount bracket on tubes with round diameters (12-17 mm)
- The monolock adapter plate of GIVI serves as fully integ-rated mounting option that enables the straightforward fastening of almost all ABUS motorbike U-Locks starting from a shackle height of 300 mm

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Locks of the U-shackle category belong to the most resistant locks in general
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- * class C

Ref. No.	EAN 4003318				Weight g	Carrier	Box Qty	
		mm	mm	mm				
58/140HBIII310	32865 7	309	84	18	2580		2	
58/140HBIII260	32864 0	259	84	18	2510		2	
58/140HBIII100	32863 3	100	84	18	1823		2	
SH 58	05810 3				390		3	

GRANIT XPlus™ 540

























(SUHA)



















Operation and use

- Good protection at high theft risk
- Recommended for securing entry motorbikes, light motorbikes and scooters

Technology and features

- Patented 13 mm square parabolic shackle (16 mm with
- Double bolted shackle in the lock body
 ABUS power cell technology (patented) offers highest protection against hitting and pulling attacks
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipu-Two keys are supplied with the lock, one LED-lighted
 Automatic keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement key

Holder and transportation

 The monolock adapter plate of GIVI serves as fully integ-rated mounting option that enables the straightforward fastening of almost all ABUS motorbike U-Locks starting from a shackle height of 300 mm

GIVI adapter plate M6M

Tip

· This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code

* class B

Ref. No.	EAN 4003318				Weight g	Carrier	Box Qty	
		mm	mm	mm				
540/160HB230	18893 0	229	108	16	1450		6	
540/160HB300	18894 7	299	108	16	1656		6	

402









Operation and use

- Basic protection at low theft risk
 Recommended for securing light motorbikes and scooters

- Technology and features

 11 mm, hardened steel round shackle

 Double bolted shackle in the lock body

 The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- steel

 Frgonomic shape allows best handling

 Premium cylinder for high protection against manipulations, e.g. picking

 Four keys are supplied with the lock


Tip

• Fits in every helmet compartment

Ref. No.	EAN 4003318				Weight g	Carrier	Box Qty	
		mm	mm	mm				
402/210HB135 Ultra Scooter	79686 9	135	145	11	840		6	

Lock-Chain Combinations











68 12KS



37/80 14KS



67 12KS/10KS



8008 12KS



1060



8077 12KS



9100



58/100 12KS



1010



GRANIT™ Extreme Plus 59

























EXTREME



ST 1010

Operation and use

- Very good protection at high theft risk
 Recommended for securing valuable motorbikes
 The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 12 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- ABUS Power Link Technology (patented) offers a direct and covered locking of the chain into the locking mechanism
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipu-
- lations e.g. picking

 Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
- ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object Very handy use because only one end of the chain must
- be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the
- For the protected transport we recommend the bag ST1010 (matches only 110 and 140 cm length)

* class C

Ref. No.	EAN 4003318	₩ mm	-⊖⊖⊖ cm	Weight g	Carrier	Box Qty
59/12HKS110	56558 8	12	110	4000		1
59/12HKS140	56559 5	12	140	4700		1
59/12HKS170	56560 1	12	170	5700		1
ST1010	23207 7			172	transport bag 160mm x 250mm x 50mm	1

GRANIT™ Power Chain 37 14KS Black Loop

















- Very good protection at high theft risk
 Recommended for securing valuable motorbikes

- Technology and features

 14 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Double bolted 14 mm shackle in the lock body
 Cylinder inserted into the padlock from the top for
- optimum drill and pull resistance
- Shackle guard protects against attacks with tools
 The padlock is coated with Black Granit coating for even more corrosion resistance
- The chain, the shackle, the padlock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
 Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement key

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively
- key code

 Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the

Ref. No.	EAN 4003318						Weight g	Carrier	Box Qty	
		mm	cm	mm	mm	mm				
37RK/80 14KS 120 black loop	52285 7	14	120	22	22	14	7052		1	

GRANIT™ Detecto XPlus 8008 12KS Black Loop

























Operation and use

- Very Good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the 16 mm bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
 Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery- and activation status
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement keys
- One CR2 Battery for the alarm function is included

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain permits a very efficient use of the chain length
- Very handy use because only one end of the chain must be locked
- Two in one lock that means that the brake disc lock can also be used without the chain • The chain has a special end link and can only be used in
- combination with the Detecto 8008 brake disc lock Please note that the chain combination does not neces-
- sarily fit on the same brake discs like the lock alone To limit the possibilities of brutal attacks it is recommen-
- dable to avoid that the chain lays on or hangs close to the $% \left(1\right) =\left(1\right) \left(1\right)$ ground

* lock only

Ref. No.	EAN 4003318		₩		(*E	Weight g	Carrier	Box Qty	
		mm	cm	mm	mm				
8008 12KS120 black loop	76699 5	12	120	16	60	4120		1	

GRANIT™ Detecto XPlus 8077 yellow 12KS Black Loop





























Operation and use

- Very Good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the 13.5 mm bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function of the ABUS 3D detection system that means, $\,$ that every movement is detected
 • Alarm of at least 100 dB
- Lock can be transported in locked condition without activating the detection system thanks to automatic brake disc recognition system
- A multi colour LED and different acoustic signals inform about battery and activation status
 ABUS XPlus cylinder for highest protection against manipu-
- lations e.g. picking
- Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement key
- Two AAA standard batteries for the alarm function included

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for
- locking a motorbike to a fixed object The loop chain permits a very efficient use of the chain
- length Very handy use because only one end of the chain must be locked
- Two in one lock that means that the brake disc lock can also be used without the chain
- The chain has a special end link and can only be used in combination with the Detecto 8077 brake disc lock
- Please note that the chain combination does not necessarily fit on the same brake discs like the lock alone
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the $% \left(1\right) =\left(1\right) \left(1\right)$ ground

^{*} applicable for lock only **class C

Ref. No.	EAN 4003318					Weight g	Carrier	Box Qty	
		mm	cm	mm	mm				
8077 yellow 12KS120 black loop	19005 6	12	120	13,5	45	3800		1	

GRANIT™ 58 12KS Black Loop













- Very good protection at high theft risk
 Recommended for securing valuable motorbikes

- Technology and features

 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- Double bolted 16 mm shackle (18 mm coating) in the lock body
 The chain, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel

 ABUS XPlus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
 Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement key

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively
- Two in one lock that means that the U-Shackle lock can also be used without the chain
- Ideal for use on quad bikes and ATVs (Fixation to the axle)

Ref. No.	EAN 4003318		→				Weight g	Carrier	Box Qty	
		mm	cm	mm	mm	mm				
58/140HBIII100 12KS 120 black	32870 1	12	120	100	84	18	4500		1	
loop										

GRANIT™ 68 Victory 12KS Black Loop











ST 1010

















- Very good protection at high theft risk
 Recommended for securing valuable motorbikes

- Technology and features

 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- 14 mm steel bolt
 The round shape and the three independently rotating pieces hinder the use of opening tools
- The chain, the bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipulations e.g. picking
 • Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement key

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively
- key code

 Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain allows a very efficient use of the chain's length
- Two in one lock that means that the brake disc lock can also
- be used without the chain
 To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the
- ground
 For the protected transport we recommend the bag ST1010

^{*} applicable for lock only **class C

Ref. No.	EAN 4003318	⊕ ↑ mm	←→→ cm	mm	Weight g	Carrier	Box Qty	
68 12KS 120 black loop	44743 3	12	120	14	3500		1	
ST1010	23207 7				172	transport bag 160mm x 250mm x 50mm	1	

GRANIT™ Power XS 67 12KS Black Loop











ST 1010











- Good protection at high theft risk
- Recommended for securing entry level motorbike, light motorbikes and scooters

- Technology and features

 Strong 12 mm chain with fabric sleeve to prevent damage to the motorbike's paintwork
- 14 mm shackle (17 mm coating)
 Double bolted shackle in the lock body
- The chain, the bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Smooth silicon lock body cover
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
 Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively
- key code

 Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain allows a very efficient use of the chain's length
- Two in one lock that means that the brake disc lock can also
- be used without the chain
 To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the
- ground
 For the protected transport we recommend the bag ST1010

^{*} applicable for lock only

Ref. No.	EAN 4003318	⊕ ↑ mm	← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ←	mm mm	mm	mm	Weight g	Carrier	Box Qty
67/105HB50 yellow 12KS120 black loop	58241 7	12	120	48	41	17	4480		1
ST1010	23207 7						172	transport bag 160mm x 250mm x 50mm	1

GRANIT™ Power XS 67 10KS Black Loop











ST 1010











Operation and use

- Good protection at high theft risk
- Recommended for securing entry level motorbike, light motorbikes and scooters

- Technology and features

 Strong 10 mm chain with fabric sleeve to prevent damage to the motorbike's paintwork

- 14 mm shackle (17 mm coating)
 Double bolted shackle in the lock body
 The chain, the bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Smooth silicon lock body cover
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
 • Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively
- key code

 Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- The loop chain allows a very efficient use of the chain's length
- Two in one lock that means that the brake disc lock can also be used without the chain
 • To limit the possibilities of brutal attacks it is recommen-
- dable to avoid that the chain lays on or hangs close to the ground
 • For the protected transport we recommend the bag ST1010

* applicable for lock only

Ref. No.	EAN 4003318	⊕ † mm	← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ← ←	mm	mm	mm	Weight g	Carrier	Box Qty
67/105HB50 red 10KS120 black loop	59715 2	10	120	48	41	17	3320		1
ST1010	23207 7						172	transport bag 160mm x 250mm x 50mm	1

Steel-O-Chain™ Ivy 9100







ST 1010





Operation and use

- Good protection at low theft risk
 Recommended for securing entry level motorbikes and
- The longer the chain, the easier the motorbike can be locked to a fixed object



- Technology and features

 10 mm strong square chain, with functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- Mesh sleeve provides high protection against abrasion and
- absorbs any liquids, e.g. water, oil
 The chain, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel
 Ergonomic lock body cover with SCT Soft Case Technology,
 which offers a very high impact resistance
- Premium cylinder for high protection against manipula-
- tions, e.g. picking

 Two user-friendly reversible keys are supplied with the lock

Tip

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object Very handy use because only one end of the chain must
- be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the
- For the protected transport we recommend the bag ST1010 (matches only 110 and 140 cm length)

Ref. No.	EAN	4	-0000	Weight	Carrier	Вох
	4003318	Ť	←	g		Qty
		mm	cm			
9100/110 black	18903 6	10	110	2900		2
9100/140 black	18904 3	10	140	3850		2
9100/170 black	18905 0	10	170	4850		2
ST1010	23207 7			172	transport bag	1
					160mm x 250mm x 50mm	

GRANIT™ CityChain XPlus 1060

























ST 1010

Operation and use

- Good protection at medium theft risk
- Recommended for securing entry level motorbikes, light motorbikes and scooters
- The longer the chain, the easier the motorbike can be locked to a fixed object

Technology and features

- 10 mm strong chain with fabric sleeve to prevent damage to the motorbike's paintwork
- ABUS Power Link Technology (patented) offers a direct and covered locking of the chain into the locking mechanism
- Interlocked lock body cover to protect against brutal opening methods
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
 ABUS XPlus cylinder for highest protection against manipu-
- ABUS XPlus cylinder for highest protection against manipulations e.g. picking
- Two keys are supplied with the lock, one LED lighted
 Automatic keyhole cover against dirt and corrosion
- Automatic Reynole Cover against dift and corrosio
 ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for locking a motorbike to a fixed object
- locking a motorbike to a fixed object

 Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the ground
- For the protected transport we recommend the bag ST1010 (matches only 110 and 140 cm length)

* class C

Ref. No.	EAN 4003318	∰ mm		Weight g	Carrier	Box Qty
1060/110 black	18895 4	10	110	2650		2
1060/140 black	18896 1	10	140	3260		2
1060/170 black	18897 8	10	170	3750		2
ST1010	23207 7			172	transport bag 160mm x 250mm x 50mm	1

CityChain 1010























ST 1010



ABUS









Operation and use

- Good protection at medium theft risk
 Recommended for securing entry level motorbikes and
- The longer the chain, the easier the motorbike can be locked to a fixed object

- Technology and features

 9 mm hexagonal chain with fabric sleeve to prevent damage to the motorbike's paintwork

 The chain, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Automatic keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Chain lock combinations are a very good solution for
- locking a motorbike to a fixed object Very handy use because only one end of the chain must be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the
- For the protected transport we recommend the bag ST1010 (matches only 110 and 140 cm length)

* Class B

Ref. No.	EAN 4003318	₩ mm	-○○○ cm	Weight g	Carrier	Box Qty
1010/110 black	18898 5	9	110	2400		2
1010/140 black	18899 2	9	140	2740		2
1010/170 black	18900 5	9	170	3380		2
ST1010	23207 7			172	transport bag 160mm x 250mm x 50mm	1

Steel-0-Chain™ Iven 8210



























- Good protection at low theft risk
 Recommended for securing light motorbikes and scooters

- Technology and features

 8 mm strong square chain, with functional, long-life and highly-flexible mesh sleeve to prevent from damage to the motorbike's paintwork
- Mesh sleeve provides high protection against abrasion and absorbs any liquids, e.g. water, oil
 • The chain, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel
 Ergonomic lock body cover with SCT Soft Case Technology,
 which offers a very high impact resistance
 Premium cylinder for high protection against manipula-
- tions, e.g. picking

 Two keys are supplied with the lock

- Chain lock combinations are a very good solution for locking a motorbike to a fixed object Very handy use because only one end of the chain must
- be locked
- To limit the possibilities of brutal attacks it is recommendable to avoid that the chain lays on or hangs close to the

Ref. No.	EAN 4003318		-0000	Weight g	Carrier	Box Qty
		mm	cm			
8210/110	18906 7	8	110	2497		2
ST1010	23207 7			172	transport bag 160mm x 250mm x 50mm	1

Steel-O-Flex Locks











GRANIT Steel-0-Flex XPlus™ 1025













MOTORRAD 02/2016





Double Protection

Operation and use

- Good protection at low theft risk
- Recommended for securing scooters
 The longer the armoured cable, the easier the motorbike

Technology and features

- 27 mm overlapping steel shells protect the inner steel cable
 PVC-coating to prevent damage of the motorbike's
 paintwork
- ABUS Power Link Technology (patented) offers a direct locking of the chain to the Power Cell and increases its efficiency
- Interlocked lock body cover to protect against brutal
- opening methods
 The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for extremely high protection against
- manipulations, e.g. picking

 Two keys are supplied with the lock, one lighted

 Automatic keyhole cover against dirt and corrosion

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would $\mathbf{\tilde{m}}$ match one key, respectively key code
- Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
1025/100	33561 7	27	100	1950		2
1025/120	33560 0	27	120	2250		2

GRANIT Steel-0-Flex™ 1000























Double Protection

Operation and use

- Good protection at low theft risk
 Recommended for securing scooters

- Technology and features

 25 mm overlapping steel shells protect the inner steel cable

 PVC-coating to prevent damage of the motorbike's paintwork
- The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- · ABUS Plus cylinder for high protection against manipulations, e.g. picking
 • Two keys are supplied with the lock, one LED lighted
- Automatic keyhole cover against dirt and corrosion
 ABUS Code Card for additional and replacement key

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
- Due to the steel shells, the Steel-0-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No.	EAN 4003318			Weight g	Carrier	VE
		mm	cm			
1000/100	10009 3	25	100	1850		2

Steel-0-Flex™ 950







Double Protection



Operation and use

- Good protection at low theft riskRecommended for securing scooters



- Technology and features

 25 mm overlapping steel shells protect the inner steel cable

 PVC-coating to prevent damage of the motorbike's
 paintwork
- Automatic locking when inserting the locking bolt
 The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special

- ABUS Plus cyclinder for high protection against manipulations, e.g. picking
 Two keys are supplied with the lock
 Manually operated cover for the keyhole against dirt and corrosion
- ABUS Code Card for additional and replacement key

Tip

Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks, yet maintaining high flexibility

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
950/100	25715 5	25	100	1600		2

Steel-0-Flex™ Iven 8200







Double Protection



Operation and use

- Good protection at low theft risk
 Recommended for securing light motorbikes and scooters
 The longer the armoured cable, the easier the motorbike
- can be locked to a fixed object



- Technology and features

 25 mm overlapping steel shells protect the inner steel cable

 Mesh sleeve provides high protection against abrasion and absorbs any liquids, e.g. water, oil

 Functional, long-life and highly-flexible mesh sleeve to
- prevent from damage to the motorbike's paintwork

 The steel shells, the lock body as well as supporting elements of the locking mechanism are made of special
- hardened steel
 Ergonomic lock body cover with Soft Case Technology, which
- offers a very high impact resistance
 Premium cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock

Tip

Due to the steel shells, the Steel-O-Flex locks reach a significantly higher security than common cable locks at furthermore high flexibility

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	cm				
8200/85	55148 2	25	85	1362		6	
8200/110	55149 9	25	110	1763		6	

Alarm Brake Disc Locks





NEW!



8008 Detecto 2.0



8008 Detecto



8077 Detecto



7000 Detecto RS1



350 Alarm



345 Alarm

GRANIT™ Detecto XPlus 8008 2.0













12KS120 adapter chain



Cobra 12/140















Operation and use

- Very good protection at high theft riskRecommended for securing valuable motorbikes

Technology and features

- · 16 mm steel bolt
- The bolt as well as supporting elements of the locking mechanism are made of special hardened steel

 Alarm function on basis of the ABUS 3D detection system
- that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery, activation and alarm status
- ABUS XPlus cylinder for highest protection against manipu-
- lations, e.g. picking
 Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement keys
- ${\:\raisebox{3.5pt}{\text{\circle*{1.5}}}}$ One CR2 Battery for the alarm function is included

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright postion and an unintended ride off with the locked bike is prevented

* Class D

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
8008 Granit Detecto XPlus 2.0	79270 0	16	60	1200		1	
8008 Granit Detecto XPlus	70755 1	16	60	1200		1	
12KS140 adapter cable	79481 0			620			
12KS120 adapter chain	76698 5			4000			

GRANIT™ Detecto XPlus 8077

















black





blue



















MOTORRAD 02/2016

Operation and use

- Very good protection at high theft riskRecommended for securing valuable motorbikes

Technology and features

- 13,5 mm steel bolt
 The bolt, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel

 Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activating the detection system thanks to automatic brake disc recognition system
- A multi colour LED and different acoustic signals inform about battery, activation and alarm status
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
 Two keys are supplied with the lock, one LED lighted
- ABUS Code Card for additional or replacement keys
 Two AAA standard batteries for the alarm function are
- included

Holder and transportation

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright postion and an unintended ride off with the locked bike is prevented
 When the detection is activated the red flashing LED has an additional deterrend effect

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm	•		+3	
8077 Granit Detecto green	70441 3	13,5	48	880		1	
8077 Granit Detecto yellow	19002 5	13,5	48	880		1	
8077 Granit Detecto orange	04301 7	13,5	48	880		1	
8077 Granit Detecto red	70440 6	13,5	48	880		1	
8077 Granit Detecto black	55675 3	13,5	48	880		1	
8077 Granit Detecto blue	71804 5	13,5	48	880		1	
12KS120 adapter chain	59472 4					1	

Detecto 7000 RS1

















pixel red



pixel yellow











Operation and use

- Good protection at medium theft risk
- · Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features

- 3 x 5 mm square steel bolt
 The bolt, the lock body as well as supporting elements of
- the locking mechanism are made of special hardened steel
 Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to a manual activation
- button, integrated into the "Snap'n Go" mechanism A multi colour LED and different acoustic signals inform about battery, activation and alarm status
- One hand operation due to the patented "Snap'n Go" system - lock closes and activates automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with encoded reversible key
 Two keys are supplied with the lock
- · Two AAA standard batteries for the alarm function are included

Holder and transportation

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- Thanks to the 3D detection system the motorbike rider gets warned when lifting the bike into upright postion and an unintended ride off with the locked bike is prevented When the detection is activated the red flashing LED has an additional deterrend effect

Ref. No.	EAN		Weight	Carrier	Вох	
	4003318		g		Qty	
		mm				
Detecto 7000 RS1 sonic red	04140 2	70	600		1	
Detecto 7000 RS1 flame black	04142 6	70	600		1	
Detecto 7000 RS1 pixel red	45061 7	70	600		1	
Detecto 7000 RS1 pixel yellow	48733 0	70	600		1	

Trigger Alarm 350











Memo Roll Up Cable





Operation and use

- Good protection at low theft risk
 Recommended for securing light motorbikes and scooters

Technology and features • 10 mm steel bolt • The bolt, the lock body as well as supporting elements of

- the locking mechanism are made of special hardened steel
 Alarm function on basis of a vibration detection system that
 means, that every impact attack is detected
- Alarm of at least 100 dB
 Lock can be transported in locked condition without activated detection system thanks to a "on/off" key
- position
 Different acoustic signals inform about battery, activation and alarm status
- Two keys are supplied with the lock
 One CR2 Battery for the alarm function is included
 A Memory Cable as reminder is included

Holder and transportation

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
350 Trigger Alarm red	55972 3	10	60	880		1	
350 Trigger Alarm yellow	55973 0	10	60	880		1	

Trigger Alarm 345











Memo Roll Up Cable





Operation and use

- Basic protection at low theft risk
 Recommended for securing light motorbikes and scooters

- Technology and features

 5 mm steel bolt

 Easy handling due to "push down" cylinder where the bolt
- is moved in the locking process automatically

 The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of a vibration detection system that means, that every impact attack is detected
 Alarm of at least 100 dB
- Lock can be transported in locked condition without activated detection system thanks to a "on/off" key
- Different acoustic signals inform about battery, activation and alarm status
 Two keys are supplied with the lock
- One CR2 Battery for the alarm function is included
 A Memory Cable as reminder is included

Holder and transportation

- Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight	Carrier	Box Oty	
		mm	mm	•		43	
345 Trigger Alarm yellow	55975 4	5	60	880		1	
345 Trigger Alarm red	55974 7	5	60	880		1	



Brake Disc Locks









290





68

285





37/60 Maxi+Mini

300





37/60

305





67

Provogue 300

NEW!





Provogue 305

GRANIT™ Sledg 77













grip yellow

Memory Cable





web yellow















Operation and use

- Good protection at high theft riskRecommended for securing valuable motorbikes

Technology and features

- 13 mm steel bolt
 The "sliding mechanism" permits compact measurements
- and also flexible and easy mounting

 Soft plastic cover for better handling and to prevent paintwork damges on the rim
- The bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS XPlus cylinder for highest protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
 ABUS Code Card for additional or replacement keys
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

- Holder and transportation

 SH 77 bracket for comfortable transport and easy to mount on tubes with round (two tubes needed) diameter of 12 28
- mm or square diameter of 12 18 mm
 Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disk locks are a very compact category of motorbike locks and consequently easy to transport
- · To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

* class C

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
77 Granit Sledg grip red	47503 0	13	45	768		1	
77 Granit Sledg grip yellow	50966 7	13	45	768		1	
77 Granit Sledg web yellow	48736 1	13	45	768		1	
SH77	54648 8					1	

GRANIT™ Victory XPlus 68





















Operation and use

- Good protection at high theft risk
- Recommended for securing valuable motorbikes

Technology and features

- 14 mm steel boltVery handy due to rubberized ring
- The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- The round shape and the three independently rotating pieces hinder the use of opening tools

 ABUS XPlus cylinder for highest protection against manipu-
- lations, e.g. picking

- Two keys are supplied with the lock, one LED lighted
 ABUS Code Card for additional or replacement keys
 A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included. In case of the 68 Roll up, the Memo Cable is integrated in the bolt

Holder and transportation

- SH 68/69 bracket for comfortable transport and easy to mount on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm

 • Protective bag included for easy and secure transportation
- in a special compartment e.g. under the seat

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disc locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally
- This lock is also available in a special chain combination (longer bolt)
- For very narrow spaces between bolt and fork, a flattened bolt version is available
- * class C

Ref. No.	EAN 4003318	mm	Weight g	Version	Box Qty
68 yellow roll up	56564 9	14	720		1
68 yellow full	56335 5	14	720		1
68 yellow half	56336 2	14	705		1
SH68/69	33581 5				1
Roll Up Adapter	56566 3				1
Bolt Roll up	56565 6	14			1

GRANIT™ Quick 37/60 Maxi + Mini













Maxi Pro yellow



Mini Pro yellow

















Operation and use

- Good protection at medium theft risk
- · Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features• 11 mm steel bolt (Pro-Version: 13 mm) • Double bolted shackle in the lock body

- Very handy due to rubberized parts of the Lock body
 Shackle guard protects against attacks with tools
 The bolt, lock body as well as supporting elements of the locking mechanism are made of special hardened steel

 ABUS Plus cylinder for high protection against manipula-
- tions, e.g. picking
- Two keys are supplied with the lock, one LED lighted
 Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys
- A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disc locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

* Maxi/Mini Pro, ** class C

Ref. No.	EAN 4003318	mm	mm m	mm	Weight g	Carrier	Box Qty	
37/60HB70 Maxi yellow	43849 3	70	11-28	11	665		1	
37/60HB50 Mini yellow	42657 5	53	12-20	11	604		1	
37/60HB50 Mini Pro yellow	56908 1	53	12-20	13	604		1	
37/60HB70 Maxi Pro yellow	56910 4	70	11-28	13	665		1	

GRANIT™ Quick 37/60











SH 37















Operation and use

- Good protection at medium theft risk
- · Recommended for securing entry level motorbike, light motorbikes and scooters

Technology and features 11 mm steel bolt Double bolted shackle in the lock body

- Shackle guard protects against attacks with tools
 The bolt, the bolt protection, the lock body as well as supporting elements of the locking mechanism are made of
- special hardened steel

 ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Two keys are supplied with the lock, one LED lighted
 Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys
- A Memory Clip as reminder to prevent an unintended ride off with the bike still locked is included

- Holder and transportation

 SH 37 quickly mounted holder, can be fixed on square tubes with up to 18 mm edge length or on two round tubes
- with up to 25 mm diameter each

 Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disc locks are very compact motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

* class C

Ref. No.	EAN 4003318	mm	mm -	mm	Weight g	Carrier	Box Qty
37/60HB70 yellow	00903 7	70	14-24	11	1067		1
SH 37	12372 6						1

GRANIT™ Power XS 67













Memo Roll Up Cable











Operation and use

- Good protection at medium theft risk
 Recommended for securing entry level motorbikes, light motorbikes and scooters

Technology and features• 14 mm shackle (17 mm coating) • Double bolted shackle in the lock body

- The bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
 Smooth silicone lock body cover
- ABUS XPlus cylinder for highest protection against manipu-
- lations, e.g. picking
 Two keys are supplied with the lock, one LED lighted

- Manually operated keyhole cover against dirt and corrosion
 ABUS Code Card for additional or replacement keys
 A "roll up" Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code
 Brake disc locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318				Weight g	Carrier	Box Qty	
		mm	mm	mm				
67/105HB50 Granit XS red	58090 1	48	41	17	660		1	
67/105HB50 Granit XS yellow	56995 1	48	41	17	660		1	

405











Operation and use

- Basic protection at low theft risk
 Recommended for securing light motorbikes and scooters

- Technology and features

 12 mm round shackle

 The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Newly patented pick and break resistant 6-wafer key and
- key cylinder

 Pass-through shackle provides anti-twist protection in a simple innovative design

 Two keys are supplied with the lock

- Brake disc locks are a very compact category of motorbike locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318				Weight g	Carrier	Box Qty
		mm	mm	mm			
405/100HB yellow C/SB	77005 0	45	40	14	420		
405/100HB green C/SB	77006 7	45	40	14	420		

Element 290









Operation and use

- Basic protection at low theft riskRecommended for securing scooters

Technology and features

- 10 mm steel bolt
- The bolt is made of special hardened steel
- Two keys are supplied with the lock
 A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object

Ref. No.	EAN 4003318		•	Weight g	Carrier	Box Qty	
		mm	mm				
290 Element yellow	55968 6	10	60	500		1	
290 Element red	55969 3	10	60	500		1	

Element 285













Operation and use

- Basic protection at low theft riskRecommended for securing scooters

Technology and features

- 5 mm steel bolt
- Easy handling due to "push down" cylinder where the bolt
- is moved in the locking process automatically The bolt is made of special hardened steel
- Two keys are supplied with the lock
- A Memory Cable as reminder to prevent an unintended ride off with the bike still locked is included

Holder and transportation

- Brake disk locks are very compact motorbike locks and consequently easy to transport
- To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
285 Element yellow	55970 9	5	62	500		1	
285 Element red	55971 6	5	62	500		1	

300

yellow





orange







red



Operation and use

- Basic protection at low theft risk
- · Recommended for securing scooters

Technology and features

- 10 mm steel bolt
- Easy handling due to big closing button and automatic locking
- The bolt is made of special hardened steel
- The lock body is coated with softtouch properties
- Quality cylinder
- Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and corrosion

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike
- locks and consequently easy to transport
 To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
300 green	73331 4	10	60	702		1	
300 orange	73329 1	10	60	702		1	
300 red	73330 7	10	60	702		1	
300 yellow	76853 8	10	60	702		1	

305





green



vellow



red

Operation and use

- Basic protection at low theft riskRecommended for securing scooters

Technology and features

- · 5 mm steel bolt
- Easy handling due to big closing button and automatic
- locking
 The bolt is made of special hardened steel
- The lock body is coated with softtouch properties
- Quality cylinder
 Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and corrosion

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

Tip

- Brake disk locks are a very compact category of motorbike
- locks and consequently easy to transport To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	mm				
305 green	73334 5	5	37	461		1	
305 orange	73333 8	5	37	461		1	
305 red	73332 1	5	37	461		1	
305 vellow	76852 1	5	37	461		1	

Provogue 300





Race Winning red



Operation and use

- Basic protection at low theft risk
- Recommended for securing scooters

Technology and features

- 10 mm steel bolt
- Easy handling due to big closing button and automatic locking
- The bolt is made of special hardened steel
- The lock body is coated with softtouch properties
- Quality cylinder
- Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and corrosion

Holder and transportation

Protective bag included for easy and secure transportation in a special compartment e.g. under the seat

- Brake disk locks are a very compact category of motorbike
- locks and consequently easy to transport To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	mm			
300 Shadow black	43797 7	10	60	702		1
300 Race Winning red	43794 6	10	60	702		1

Provogue 305





Shadow black



Operation and use

- Basic protection at low theft risk
- Recommended for securing scooters

Technology and features

- 5 mm steel bolt
- Easy handling due to big closing button and automatic
- locking
 The bolt is made of special hardened steel
- The lock body is coated with softtouch properties
- Quality cylinder
 Two keys are supplied with the lock
- Manually operated cover for the keyhole against dirt and

Holder and transportation

- Brake disk locks are a very compact category of motorbike
- locks and consequently easy to transport To increase the security during longer parking time it is recommendable to secure the motorbike to a fixed object additionally

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	mm			
305 Race Winning Red	43789 2	5	37	461		1
305 Shadow black	43792 2	5	37	461		1



Special Security Items










WBA75





6500



WBA100



2501 / 2502 / 2503

NEW!





WA50



Cobra



6000 BIG



37/55 Snowmobil



1850

NEW!



6055 Lite





Memory Cable





BORDO GRANIT XPlus™ Big 6500




























- 5.5 mm steel bars with extra soft 2-components coating
 ABUS Link-Protection-Shield offers high saw protection of the links
- The bars, the links, the case as well as supporting elements of the locking system are made of special hardened steel

 Colour-matching silicone cover for the lock body with "soft touch" properties

 ABUS XPIus cylinder for highest protection against
- manipulation, e.g. picking







Operation and use

- Good protection at high theft risk
 Recommended for securing entry motorbikes, light motorbikes and scooters

Tip

Ref. No.	EAN 4003318	Çm	Weight Carrier g	Box Qty	
6500/110 black SH	78067 7	110	2140	6	
Bracket SH 6500/110	78072 1		replacemen	t bracket 6	

BORDO GRANIT XPlus™ 6500







motorbikes and scooters






















- 5.5 mm steel bars with extra soft 2-components coating
 Colour-matching silicone cover for the lock body with "soft
- touch" properties

 Link construction offers compact folding

 ABUS Link-Protection-Shield offers high saw protection of


- ABUS Code Card for additional or replacement key

Operation and use Good protection at high theft risk Recommended for securing entry motorbikes, light

- the links
 The bars, the links, the case as well as supporting elements of the locking system are made of special hardened steel
- ABUS XPlus cylinder for extremely high protection against manipulation, e.g. picking
 Two keys are supplied with the lock, one LED-lighted

Tip

Ref. No.	EAN 4003318		Weight g	Carrier	Box Qty
		cm			
6500/85 black	55160 4	85	1580	transport bag incl.	6
6500/85 red	55161 1	85	1580	transport bag incl.	6
6500/85 white	55162 8	85	1580	transport bag incl.	6
ST 6500/85 black	55325 7			replacement bag	1









BORDO™ Alarm 6000A





















- Technology and features

 5 mm steel bars, with extra soft 2-components coating
 The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
 Alarm of at least 100 dB for 15 seconds
- Alarm function on basis of the ABUS 3D detection system
- that means, that every movement is detected
 Intelligent alarm In case of small and short movement the lock only gives a short warning tone
- Different acoustic signals inform about battery, activation and alarm status
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Tip

Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6000A/90 black SH	77838 4	90	1450	SH 6000/90	6
6000A/90 white SH	78090 5	90	1450	SH 6000/90	6
Bracket SH 6000/90	72900 3			replacement bracket	1

BORDO™ Big 6000















Operation and use

- Good protection at low theft risk
 Recommended for securing entry motorbikes and scooters









- Technology and features

 5 mm steel bars, with extra soft 2-components coating
 Colour-matching silicone cover for the lock body with "soft
- Colour-matching silicone cover for the lock body with "soft touch" properties

 Link construction allows compact folding

 The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel

 Bars are linked with special rivets

 Premium cylinder for high protection against manipulations, e.g. picking

Tip

Ref. No.	EAN 4003318	Cm Cm	Weight g	Carrier	Box Qty
6000/120 black ST	51794 5	120	1400	transport bag incl.	3
6000/120 red ST	54129 2	120	1400	transport bag incl.	3
6000/120 white ST	54128 5	120	1400	transport bag incl.	3
ST 6000/120 black	55327 1			replacement bag	1

BORDO™ Lite 6055













black (60)



red (85)



black (85)

Operation and use

- Compact and lightweight lock as prevention from occasional theft and unauthorized use
 Perfect protection for luggage and high-value helmets

- Technology and features

 5 mm bars with a core of light steel and synthetic coating
 The bars and the lock body are made of particularly light materials and ferrous alloy
 Bars are linked with special rivets
 Fits perfectly in every pocket or bag

Ref. No.	EAN 4003318	$\overline{\bigcirc}$	Weight g	Carrier	Box Qty
		cm			
6055/60 black	78060 8	60	440	bracket optional	6
6055/60 red	78061 5	60	440	bracket optional	6
6055/60 MOVISTAR TEAM	78062 2	60	440	bracket optional	6
6055/85 black	78063 9	85	500	bracket incl.	6
6055/85 red	78064 6	85	500	bracket incl.	6
Bracket SH 6055	78066 0			replacement bracket	6

GRANIT™ WBA 75

















The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WBA 100 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very secure unit.

- Technology and features
 14 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included
 The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports
 The WBA 75 can be mounted to the ground as well as to the wall

Ref. No.	EAN 4003318		Weight g	Carrier	Box Qty
		mm mm mm mm			
WBA 75 GRANIT B/SB	78606 8	135 98 14 65 66	850		1

GRANIT™ WBA 100

























Operation and use

• The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WBA 100 can be mounted to the ground as well as to the wall. In combination with a high level ABUS lock it builds a very

Technology and features

- 16 mm round shackle made of special hardened steel for highest resistance
- Mounting accessories included

- After installing this anchor correctly it can only be removed with a considerable effort - the usage in rented places has to be checked by the installer
- Due to the flat design and the high quality plastic, the WBA can be overrun by vehicles without any problem e.g. in garages
- The WBA 100 is weatherproof and can be installed indoors or outdoors

Ref. No.	EAN 4003318		Weight g	Version	Box Qty	
		mm mm mm mm				
WBA 100 GRANIT	27161 8	160 165 16 65 77	2000		1	

WA 50









Operation and use

 The anchor allows the locking of two-wheel vehicles in garages, cellars, at houses and carports. The WA 50 is meant for wall installation. In combination with a high level ABUS lock it builds a very secure unit.

Technology and features

- Strong wall anchor made of special hardened steelMounting accessories included

- After installing this anchor correctly it can only be removed with a considerable effort the usage in rented places has to be checked by the installer
- The WA 50 is weatherproof and can be installed indoors or outdoors

Ref. No.	EAN 4003318		Weight g	Version	Box Qty
		mm mm mm			
WA 50	04294 2	110 80 38 38	870		1

Snowmobil 37/55















Operation and use

Good protection for snow scooters



Technology and features 11 mm hardened steel shackle Shackle double bolted in the lock body

- Shackle and body made from hardened alloy steel
 New Black Granit® coating for even more corrosion resistance
- Body and shackle coated for optimum inner and outer corrosion protection
 ABUS Plus cylinder for high protection against manipula-
- tions, e.g. picking

 Two keys are supplied with the lock, one LED-lighted

 ABUS Code Card for additional or replacement key

- This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code

 Now supplied with a neoprene bag to protect the lock from

Tip

• This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code

* class C

Ref. No.	EAN 4003318				Weight g	Box Qty	
		mm	mm	mm			
37/55HB535 Snowmobil	26706 2	535	28	11	1350	1	

Multiloop 210









Operation and use

- Good protection at low theft risk
- Security device for accessory such as helmets, jackets or protectors
- Protectors

 Multi-purpose application for garden, home, leisure etc.

 Because of variable adjustable loops, the attachment on stable objects or the connection of various objects is highly flexible

Technology and features

- 10 mm strong premium steel cablePVC-coating to prevent damage to the motorbike's
- Semi-transparent silicone coating on the lock body with "soft touch" properties for better grip
 Integrated adapter in the body for a conversion from one
- loop to a double-loop cable
 Quality lock cylinder
- Two keys are supplied with the lock

Tip

- · Cable locks stand out due to good flexibility and quite low
- Through the possibility of variably adjustable loop, the total length of about two meters can be ideally used and adapted to different objects.

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
210/185 black	52524 7	10	185	600		6

Combiloop 205







Operation and use

- Additional security to secure accessories
 Ideal for securing leisure or sports gear as well as helmets

Technology and features

- 5 mm strong steel cablePVC-coating to prevent damage to the motorbike's
- Semi-transparent silicone coating on the lock body with "soft touch" properties for better grip
- Automatic locking at insertion of the locking bolt
- Individually settable code

- · Cable locks stand out due to good flexibility and quite low weight
 • The combination lock is very well suited for the use by
- Thanks to the flexible and adjustable loops, the total length of two meters can be ideally used and adapted to

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
205/200 black	52523 0	5	200	230		12

Multicombiloop 215





Operation and use

- Good protection at low theft risk
 Recommended for securing high-value accessories, e.g.
- helmets or jackets

 Multi-purpose application for garden, home, leisure activities and work
- Through variable adjustable loops, the attachment on stable objects or the connection of various objects is highly flexible

- Technology and features

 8 mm strong premium steel cable

 PVC-coating to prevent damage to the motorbike's or equipment's paintwork

 Silicone coating on the lock body with "soft touch" properties for better grip and to prevent damage to the motorbike's or equipment's paintwork

 Integrated adapter in the body for a conversion from one loop to a double-loop cable

 Individually settable code
- Individually settable code

- Cable locks stand out due to good flexibility and quite low weight
 Thanks to the flexible and adjustable loops, the total length of about two meters can be ideally used and adapted to different objects.

Ref. No.	EAN 4003318			Weight (Carrier	Box Qty	
		mm	cm				
215/185 black	58477 0	8	185	650		6	

CombiFlex 2503



Combiflex 2502



Combiflex 2501



- Operation and use

 Compact roll-back cable lock as prevention from occasional theft and unauthorized use
- Perfect protection for luggage, sport equipment like skis, snowboards, skates and helmets

Technology and features · Automatically rolling up cable · Individually settable code · Case in attractive, compact format

Holder and transportation • Fits perfectly in every pocket or bag

Ref. No.	EAN			Weight	Size	Box	
	4003318	$ \downarrow\downarrow\downarrow $	→	g	WxHxD	Qty	
		cm	mm		mm		
2503/120 C/SB	72501 2	120	2,5	92	62x94x24	3	
2502/85 C/SB	72500 5	85	2,0	70,5	52x93x21	3	
2501/65 C/SB	72499 2	65	1,6	50	47x76x21	3	

Cobra™



- Operation and use
 Additional security item to secure accessories
 Multiple purpose cable for garden, house, leisure activities and work

Technology and featuresHigh quality steel cable with two loop ends PVC-coating to prevent damage

Tip

- The Cobra-Loop-Cables are a very useful complement for U-shackle and pad-locks
 Cable locks stand out due to good flexibility and quite low
- weight

 This cable is available in various lengths and thicknesses

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty	
		mm	cm				
Cobra 8/200 black	25718 6	8	200	294		1	
Cobra 10/140 black	37107 3	10	140	300		1	
Cobra 10/200 black	11167 9	10	200	430		1	
Cobra 10/220 black	37108 0	10	220	475		1	
Cobra 10/500 black	20780 8	10	500	950		1	
Cobra 10/1000 black	20781 5	10	1000	1730		1	
12KS140 adapter cable	79481 0	12	140	620			

1850



Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
1850/185	12752 6	8	185	268		18

Memory Cable





Operation and use

 The memory cable serves as optical reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
Memory Cable	33919 6		90	60		1

Memo Roll Up Cable



Memo Roll Up Cable



Operation and use

 The memory cable serves as optical reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
Memo Roll Up Cable	57038 4		90	35		1



Padlocks and Chains ABUS









37 S&S



37RK



37/55



20



24



55



Chain KS

GRANIT™ 37/60











Operation and use

- To secure valuables/goods of great value or at a very high
- Meets special requirements of insurance companies
 Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection

 Hardened drill & pull protection of cylinder

 Double bolted, min. 6 tons pulling resistance

- Key retaining: key can only be removed if padlock is correctly locked
- Depending on the model the shackle can be taken out
- CEN-class 4
- Two keys are supplied with the lock, one LED-lighted

	1
	3.888C.5
	Coursesses
	PRODUCT
l.	10.0





Ref. No.	EAN 4003318					+		Level	Version Box Qty
		mm	mm	mm	mm	mm	mm		
37/60	35062 7	65	18	16	11	35	85	10	1
37/60	32380 5	65	18	16	11	35	85	10	1

GRANIT™ 37RK/80













Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection
- Double bolted, min. 8 tons pulling resistance
- CEN-class 5, SSF-class 4
 Key retaining: Key can only be removed if padlock is correctly locked
- Shackle can be taken out
 ABUS-Plus-7-disc-cylinder: Approx. 200,000 key differs
- Cylinder can be exchanged
- Recommended by police and insurance companies
 With shackle guard to protect against bolt cutter attacks
- Two keys are supplied with the lock, one LED-lighted

Ref. No.	EAN 4003318					*		Level	Version Box Qty	
		mm	mm	mm	mm	mm	mm			
37RK/80	20115 8	79	22	22	14	39	94	10	1	
37RK/80	43121 0	79	22	22	14	39	94	10	1	

GRANIT™ 37/55 S&S









Operation and use

- Securing larger valuable objects
- Securing objects with very high risk of theft
- Special insurance company requirements

Technology and features

- ABUS Plus disc cylinder: maximum precision for securing against intelligent attempts to break open, 250,000 different key variations

 • Special high - tech anti corrosion protection
- Double ball locking
- Signal-coloured casing
- Two keys are supplied with the lock, one LED-lighted

This lock can be ordered keyed alike to other locks. This means several locks would match one key, respectively key code

Ref. No.	EAN 4003318					*	\bigoplus	Level		ox Ity
		mm	mm	mm	mm	mm	mm			
37/55 S&S	32441 3	63	27,5	26	11	31	85	10	1	1
37/55 S&S	35060 3	63	27,5	26	11	31	85	10	1	1

GRANIT™ 37/55















Operation and use

- To secure valuables/goods of great value or at a very high
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

Technology and features

- Special hardened lock body and shackle, KTL coating for optimum corrosion protection
- Hardened drill & pull protection
- Double bolted, min. 6 tons pulling resistance
 Also available with long shackle
- Key retaining: Key can only be removed if padlock is correctly locked SSF-class 3 (37/55 only), CEN-class 4
- ABUS Plus disc cylinder
- Also available in RKRecommended by police and insurance companies
- Two keys are supplied with the lock, one LED-lighted

Ref. No.	EAN 4003318					*		Level	Version	Box Qty	
		mm	mm	mm	mm	mm	mm				
37/55	32170 2	63	27,5	26	11	31	85	10		3	
37/55	35057 3	63	27,5	26	11	31	85	10		3	

Diskus® 20









Operation and use

- To secure valuables/goods of great value or at a very high
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

Technology and features

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools Special saving protection

- Double locking mechanism Shackle made from hardened alloy steel
- ABUS Plus disk cylinder: highest protection against manipulation, 250.000 key differs, drilling and pulling protected
- Stainless Steel outside + inside
- Made in Germany



Ref. No.	EAN 4003318					*	\bigcirc	Level	Version Box Qty
		mm	mm	mm	mm	mm	mm		
20/80	08798 1	80	25	18	11	35	81	9	1
20/70	08854 4	70	20	17	10	30	70	9	1

Diskus 24/70





Operation and use

- To secure valuables/goods at a medium risk of theft
 To secure e.g. warehouses, industrial sites, factory gates, containers and lorries

Technology and features

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- Double locking
- Shackle made from hardened alloy steel ABUS quality cylinder Stainless Steel outside + inside Made in Germany

Ref. No.	EAN 4003318					*		Level	Version	Box Qty	
		mm	mm	mm	mm	mm	mm				
24/70	011078	91	20	17	10	31	70	8		6	

55









Operation and use

- Basic protection
 For locking doors, gates, cabinets, lockers, toolboxes, cellar windows, sheds, switchgears, barriers
 Ideal in combination with Cobra loop cables

Technology and features Body made of solid brass Inner components made of non-corrosive materials Hardened shackle Precision pin tumbler cylinder

Tip

• This classic lock is available in different sizes

Ref. No.	EAN 4003318					* -	A	Weight g	Level	Box Qty	
		mm	mm	mm	mm	mm	mm				
55/30	02854 0	29	15	13	5	12	44	74 g	3	12	
55/40	02856 4	38	21	22	6	13	60	137 g	4	12	
55/40HB63	04762 6	38	21	63	6	13	103	164 g	4	12	
55/50	02858 8	48	25	24	7	14	68	207 g	5	6	
55/60	02859 5	58	32	32	8	16	84	326 g	6	1	

Chain KS



Ref. No.	EAN	(-0000	Weight	Вох
	4003318	<u>†</u>	← →	g	Qty
		mm	cm		
Chain 8KS85 black	27294 3	8	85	1328	2
Chain 8KS110 black	27295 0	8	110	1725	2
Chain 8KS140 black	28509 7	8	140	2090	2
Chain 9KS250 loop	45579 7	9	250	4930	2
Chain 10KS110 black	27168 7	10	110	2510	2
Chain 10KS140 black	27167 0	10	140	3110	2
Chain 10KS170 black	27166 3	10	170	3838	2
Chain 10KS200 black	27530 2	10	200	4420	2

Brackets





SH 58



SH 59



SH 68/69



SH 37



SH 77



ST1010

SH 58



Operation and use

- Transport of U-shackle lock Granit Power 58
 Mounting on tubes with round diameter of 12 17 mm or with a screw of 8 10 mm diameter
- · Screws included
- Metal bracket for mounting with rubber inlays for best hold
 Very quick mounting

Ref. No.	EAN	Carrier Weight Version	on Box
	4003318	g	Qty
SH 58	05810 3	390	3

SH 59



Operation and use

- Transport of U-shackle lock Granit Extreme 59
 Mounting on tubes with round diameter of 12 17 mm or with a screw of 8 10 mm diameter
- · Screws included
- Bracket for mounting with rubber inlays for best hold
 Very quick mounting

Ref. No.	EAN	Carrier	Weight	Version	Вох
	4003318		g		Qty
SH 59	23763 8				2

SH 68/69



Operation and use

- Transport of brake disc locks Granit Victory 68
 Mounting on tubes with round (two tubes needed) diameter of 12 28 mm or square diameter of 12 18 mm
 Two sets of screws with different lengths included
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No.	EAN	Carrier	Weight	Version	Box
	4003318		g		Qty
SH68/69	33581 5				1

SH 37



Operation and use

- Transport of brake disk lock 3760HB70
 Two sets of screws with different lengths included
 Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Technology and features ⋅ Bracket for brake disc lock 37/60HB70 (00903 7)

Ref. No.	EAN	Carrier	Weight	Version	Box
	4003318		g		Qty
SH 37	12372 6				1

SH 77



Operation and use

- Transport of brake disc lock Granit Sledg 77

 Mounting on tubes with round (two tubes needed) diameter of 12 28 mm or square diameter of 12 18 mm

 Two sets of screws with different lengths included

 Bracket with metal clamp for mounting and rubber inlays

 Very quick mounting

Ref. No.	EAN	Carrier	Weight	Version	Вох
	4003318		g		Qty
SH77	54648 8	für ABUS No. 77			1

ST1010



Operation and use

- Robust multi use bag made of nylon with handle
 Practical for transporting chain locks, tools and small parts

Ref. No.	EAN	Carrier	Weight	Version	Вох
	4003318		g		Qty
ST1010	23207 7	transport bag	172		1
	1	160 mm / 250 mm /			
		50 mm			

Sales Displays





Shop in Store



Shop in Store



VK-Display MD 10



VK-Display MD 15



PS 88

Shop in Store



Shop in Store – the flexible display solution

Shop in store opens the door to a new world of display solutions. The one meter wide basic display is supplied in two different heights (220 cm and 140 cm) and can be fitted in any site by use of modular extensions – as many as you need.


For the lateral extension there are sets available in one and half meters. If appropriate to use both the back and front of the display thanks to the Shop in Store, you will no longer need a separate display, but a compact additional set.


Further, an attractive aisle stopper is included in the delivery, to make your POS more attractive and more informative. Additional easily assembled illuminated headers for the 220 cm displays are an optional extra.

For the presentation of high quality products you can also order a heavy duty crossbar together with the corresponding hooks that will ensure safe weight loading. Altogether, the Shop in Store system offers a complete tailor-made solution package for your ABUS sales area.

Shop in Store Display









Ref. No.	EAN 4003318	Dimensions	Version	Weight g	Box Qty
Shop Display 220/100 basic structure	18480 2	220 / 50 / 100 cm			1
220/100 Side Add-0n pic. 1	18481 9	220 / 50 / 100 cm			1
220/50 Side Add-0n pic. 2	18482 6	220 / 50 / 50 cm			1
220/100 Set for two sided hanging pic. 3	18485 7	220 / 50 / 100 cm			1
220/50 Set for two sided hanging pic. 4	18486 4	220 / 50 / 50 cm			1
220/100 lock kit motorbike	21205 5	for 100 cm	25 detachable hooks + 2 x heavy duty set		1
220/50 lock kit motorbike	23038 7	for 50 cm	15 detachable hooks + 2 x heavy duty set		1
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + cross bar 100 cm	-	1
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + cross bar 50 cm	-	1

Shop in Store Display



Ref. No.	EAN 4003318	Dimensions	Version	Weight g	Box Qty	
Shop Display 140/100 motor- bike	21206 2	140 / 50 / 100 cm	15 detachable hooks 1 x heavy duty set		1	
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + cross- bar 100 cm		1	
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + cross- bar 50 cm		1	

VK Display MD10



Ref. No.	EAN	Dimensions	Version	Вох	
	4003318			Qty	
VK-Display MD 10	51094 6	210x70x40 cm	incl. 24 Hooks + Heavy Duty Set	1	
			- without products		
Heavy Duty Set	51520 0	100 cm	4 heavy duty hooks	1	

VK Display MD15



Ref. No.	EAN	Dimensions	Version	Box	
	4003318			Qty	
VK-Display MD 15	20145 5	165x70x70 cm	incl. 24 Hooks - without products	1	



Operation and use

• Door cylinders, car locks, tools, sports equipment, office machines

- Technology and features

 Free from chlorine, fluorine (CKW/FCKW), PCB, lead and other contaminants

 Non-greasy special lubricant spray

Ref. No.	EAN	Dimensions	Version	Вох	
	4003318			Qty	
PS 88 SB 50 ml D	08815 5		aerosol can	6	
Spray PS88 50ml (blister packing) D	35228 7				
Spray PS88 50ml (blister packing) GB	35421 0				
Spray PS88 50ml (blister packing) F	08859 9				
Spray PS88 50ml (blister packing) NL	35360 4				
Spray PS88 50ml (blister packing) S	52643 5				
Spray PS88 125ml (blister packing)	07010 5				
VK PS88 Spray 50ml D	08217 7	15 / 21 / 29 cm	24 x 50 ml	1	
VK PS88 Spray 125ml D	06952 9	14 / 18 / 31 cm	12 x 125 ml	1	
VK PS88 Spray 50ml F	08801 8	15 / 21 / 29 cm	24 x 50 ml	1	
VK PS88 Spray 50ml GB	31942 6	15 / 21 / 29 cm	24 x 50 ml	1	
VK PS88 Spray 50ml NL	08802 5	15 / 21 / 29 cm	24 x 50 ml	1	
PS88 Spray 50ml S	52643 5		aerosol can	1	

Lock- vehicle type-combination table

U-Shackle Locks

Our recommendation		6	منع	<u>ब्</u> र
Granit Extreme 59	p. 14	Х	Χ	
Granit Power 58	p. 15	Χ	Χ	
Granit XPlus 540	p. 16	Χ	Χ	
402	p. 17	Χ	Χ	

Alarm Brake Disc Locks

Our recommendation		6	منع	<u>or</u>
Granit Detecto 8008	p. 40	Χ	Χ	
Granit Detecto 8077	p. 41	Χ	Χ	
Detecto 7000 RS1	p. 42	Χ	Χ	
Detecto 7000 RS3	p. 43	Χ	Χ	
Trigger Alarm 350	p. 44	Χ	Х	
Trigger Alarm 345	p. 45	Χ	Х	

Lock-Chain-Combinations

Our recommendation		6	ھنھ	<u>ar</u>
Granit Extreme Plus 59	p. 20	Х	Χ	Χ
Granit Power Chain 37	p. 21	Х	Χ	Χ
Granit Detecto 8008 + 12 KS	p. 22	Χ	Χ	
Granit Detecto 8077 + 12 KS	p. 23	Х	Χ	
Granit 58/140HBIII 100 + 12 KS 120 Black Loop	p. 24	Х	Х	Х
Granit Victory XPIus 68 + 12KS120 Loop	p. 25	Х	Х	
Granit Power XS 67 + 12 KS 120 Loop	p. 26	Χ	Χ	Χ
Granit Power XS 67 + 10 KS 120 Loop	p. 27	Х	Χ	Χ
Granit CityChain XPlus 1060	p. 28	Х	Χ	Χ
Ivy 9100	p. 29	Х	Χ	Χ
CityChain 1010	p. 30	Χ	Χ	Х
Iven 8210	p. 31		Χ	

Brake Disc Locks

Our recommendation		6	6 26	<u>क्</u> रि
Granit Sledg 77	p. 48	Χ	Х	
Granit Victory XPlus 68	p. 49	Χ	Χ	
Granit Quick Maxi + Mini	p. 50	Χ	Χ	Χ
Granit Quick 37	p. 51	Χ	Χ	Χ
Granit Power XS 67	p. 52	Χ	Χ	Χ
405	p. 53	Χ	Χ	
Element 290	p. 53		Χ	
Element 285	p. 53		Χ	
300	p. 54		Χ	
305	p. 54		Χ	
Provogue 300	p. 55		Χ	
Provogue 305	p. 55		Х	

Steel-O-Flex Locks

Our recommendation		6	ھنھ	<u>a</u>
Granit Steel-0-Flex XPlus 1025	p. 34	Х	Х	
Granit Steel-0-Flex 1000	p. 35	Χ	Χ	
Steel-0-Flex 950	p. 36	Х	Χ	
Iven 8200	p. 37		Χ	



Notes	

Notes	

Notes	

Notes	

Notes	

ABUS I August Bremicker Söhne KG **www.abus.com**

Altenhofer Weg 25 58300 Wetter Germany mobile@abus.de +49 23 35 634-0

